

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	fixation near device & pin & frame with arcuate near inner near surface & hole & elongated near portion with inner surface & hole & sliding near pin near holder	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/26 13:51
L2	0	fixation near device & pin & frame with arcuate near inner near surface & hole & elongated near portion with inner surface & hole & sliding near pin near "holder.clm"	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/26 13:51
L3	3	fixation near device & pin & frame with arcuate near inner near surface & hole & elongated near portion with inner surface & hole & sliding near pin near holder.clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/26 13:54
L4	2	fixation near device & pin & frame with arcuate near inner near surface & hole & elongated near portion with inner surface & hole & pin\$clamping near screw with flexible near section & hole.clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/26 13:55
L5	0	fixation near device & pin & frame with arcuate near inner near surface & hole & elongated near portion with inner surface & hole & plurality near removably near attached near spacing near block.clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/26 13:55

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	hajianpour near mohammed.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/26 12:37
L2	0	fixation near device & pin & frame with arcuate near inner near surface & hole & elongated near portion with inner near surface & hole & sliding near pin near holder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/26 12:41
L3	0	fixation near device & pin & frame with arcuate near inner near surface & hole & elongated near portion with inner near surface & hole & pin\$clamping near screw with flexible near section & hole	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/26 12:43
L4	0	fixation near device & pin & frame with arcuate near inner near surface & hole & elongated near portion with inner near surface & hole & plurality near removably near attached near spacing near block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/26 12:44
L5	196	(606/57).CCLS.	USPAT	OR	OFF	2006/07/26 12:51
L6	242	(606/59).CCLS.	USPAT	OR	OFF	2006/07/26 12:51

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	214	(606/53).CCLS.	USPAT	OR	OFF	2006/07/26 09:33
L2	285	(606/54).CCLS.	USPAT	OR	OFF	2006/07/26 09:40
L3	36	(606/55).CCLS.	USPAT	OR	OFF	2006/07/26 09:41
L4	99	(606/56).CCLS.	USPAT	OR	OFF	2006/07/26 09:43
L5	196	(606/57).CCLS.	USPAT	OR	OFF	2006/07/26 09:46
L6	46	(606/58).CCLS.	USPAT	OR	OFF	2006/07/26 09:47
L7	242	(606/59).CCLS.	USPAT	OR	OFF	2006/07/26 09:52
L8	520	(606/86).CCLS.	USPAT	OR	OFF	2006/07/26 10:42
L9	7	("4488542" "4600000" "4628922").PN. OR ("5688271").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 10:07
L10	1	("5156626").PN.	USPAT	OR	OFF	2006/07/26 10:26
L11	47	robioneck near bernd.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/26 10:46
L12	1	locking near nail & aiming near device with aiming near portion & aiming near bore & connecting near piece with aperture & nail near adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/26 11:06